




Муфта **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d1, mm	L, mm	kg	Ціна в Євро
ME 20	20	31	70	0,053	☎
ME 25	25	36	70	0,060	2,45
ME 32	32	44	72	0,071	2,63
ME 40	40	54	80	0,095	2,79
ME 50	50	66	88	0,131	4,27
ME 63	63	81	96	0,194	4,50
ME 75	75	96	110	0,282	6,30
ME 90	90	113	125	0,406	8,41
ME 110	110	138	145	0,692	10,28
ME 125	125	154	156	0,718	14,06
ME 140	140	172	166	0,945	16,20
ME 160	160	196	180	1,362	18,72
ME 180	180	219	192	1,747	26,97
ME 200	200	244	208	1,866	32,03
ME 225	225	273	225	3,329	39,30
ME 250	250	304	248	4,678	55,27
ME 280	280	340	252	7,500	78,28
ME 315	315	382	267	8,142	90,86
ME 355	355	438	291	13,900	149,86
ME 400	400	493	295	17,900	180,14
ME 450	450	554	327	24,700	328,79
ME 500	500	616	358	33,700	406,80
ME 560	560	689	396	46,200	843,64
ME 630	630	775	440	65,300	1279,21
ME 710	710	874	463	87,400	☎
ME 800	800	982	484	114,500	☎

Муфта **+GF+** PE 100 SDR 17 (ISO S8, газ 5 бар / вода 10 бар)




Code	d, mm	d1, mm	L, mm	kg	Ціна в Євро
ME17 160	160	186	180	1,017	15,70
ME17 180	180	213	192	1,434	23,10
ME17 200	200	233	206	1,726	26,79
ME17 225	225	261	225	2,545	32,98
ME17 250	250	304	248	4,616	46,14
ME17 280	280	304	252	5,606	65,33
ME17 315	315	382	267	8,186	74,66
ME17 355	355	416	291	9,522	125,68
ME17 400	400	467	295	18,000	154,38
ME17 450	450	526	327	16,000	234,09
ME17 500	500	584	358	22,000	251,34
ME17 560	560	647	396	34,000	664,91
ME17 630	630	727	440	35,000	975,82
ME17 710	710	820	463	55,600	☎
ME17 800	800	922	484	73,000	☎

Муфта **+GF+** для водяних мереж PE 100 SDR 11 (ISO S5, вода 16 бар)  
 PE 100 SDR 17 (ISO S8, вода 10 бар)  
 PE 100 SDR 26 (ISO S12.5, вода 6 бар)




Code	SDR	d, mm	d1, mm	L, mm	kg	Ціна в Євро
MEW 11 900	11	900	1110	550	137,930	☎
MEW 17 900	17	900	1030	550	93,150	☎
MEW 17 1000	17	1000	1143	600	125,650	☎
MEW 17 1200	17	1200	1370	650	196,450	☎
MEW 26 710	26	710	797	360	31,920	☎
MEW 26 800	26	800	897	380	42,800	☎
MEW 26 900	26	900	1009	400	57,580	☎
MEW 26 1000	26	1000	1121	440	79,270	☎
MEW 26 1200	26	1200	1345	480	125,700	☎

Адаптор терморезисторний (ПЕ/латунь) з внутрішньою різьбою **+GF+** PE 100 SDR 11 (ISO S5)



Code	d, mm	R, mm	z, mm	L1, mm	kg	Ціна в Євро
ADF 32-1"	32	1"	35	71	0,250	17,69
ADF 40-1¼"	40	1¼"	39	77	0,397	20,30
ADF 50-1½"	50	1½"	43	81	0,589	20,77
ADF 63-1"	63	1"	47	89	1,071	29,64
ADF 63-1¼"	63	1¼"	47	89	1,027	29,64
ADF 63-1½"	63	1½"	47	89	0,950	29,64
ADF 63-2"	63	2"	47	89	0,800	27,57

Адаптор терморезисторний (ПЕ/латунь) з зовнішньою різьбою **+GF+** PE 100 SDR 11 (ISO S5)




Code	d, mm	Rp, mm	z, mm	L1, mm	kg	Ціна в Євро
ADF 20-½"	20	½"	33	75	0,133	13,92
ADF 25-¾"	25	¾"	33	76	0,182	13,92
ADM 32-1"	32	1"	35	80	0,257	13,92
ADM 32-1¼"	32	1¼"	35	82	0,389	20,30
ADM 32-1½"	32	1½"	35	82	0,454	20,30
ADM 40-1"	40	1"	39	84	0,370	21,35
ADM 40-1¼"	40	1¼"	39	86	0,425	16,15
ADM 40-1½"	40	1½"	39	86	0,490	21,35
ADM 50-1"	50	1"	43	88	0,479	22,00
ADM 50-1¼"	50	1¼"	43	90	0,546	22,00
ADM 50-1½"	50	1½"	43	90	0,528	16,42
ADM 63-1¼"	63	1¼"	47	94	0,702	28,84
ADM 63-1½"	63	1½"	47	94	0,698	28,84
ADM 63-2"	63	2"	47	98	0,792	24,92

Редукція **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d2, mm	d1, mm	L, mm	L1, mm	L2, mm	z, mm	Ціна в Євро
REL 25/20	25	20	35	74	34	34	6	4,78
REL 32/20	32	20	44	79	33	36	10	4,78
REL 32/25	32	25	44	79	33	36	10	4,78
REL 40/20	40	20	54	88	33	39	15	6,16
REL 40/25	40	25	54	88	33	39	15	6,16
REL 40/32	40	32	54	88	33	39	13	6,16
REL 50/32	50	32	66	96	35	43	18	7,72
REL 50/40	50	40	66	96	39	43	14	8,52
REL 63/32	63	32	81	106	35	48	23	9,20
REL 63/40	63	40	81	106	39	48	19	9,20
REL 63/50	63	50	81	106	43	48	15	9,20
REL 90/63	90	63	113	146	63	47	36	15,89
REL 110/90	110	90	138	173	73	63	38	24,08
REL 125/90	125	90	152	180	79	61	40	30,46
REL 160/110	160	110	196	226	91	70	65	33,38
REL 180/125	180	125	220	247	97	70	80	49,67
REL 200/160	200	160	245	311	104	90	117	221,36
REL 225/160	225	160	274	331	112	90	129	271,91
REL 250/160	250	160	305	362	123	90	149	328,85
REL 250/200	250	200	305	380	123	104	153	328,85

Коліно 90° **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d1, mm	L, mm	L1, mm	z, mm	kg	Ціна в Євро
KEL 90°/20	20	35	54	34	20	0,093	7,35
KEL 90°/25	25	35	54	34	20	0,078	7,35
KEL 90°/32	32	44	53	36	17	0,098	7,61
KEL 90°/40	40	54	62	39	23	0,142	9,20
KEL 90°/50	50	66	71	43	28	0,215	10,98
KEL 90°/63	63	81	81	48	32	0,280	12,09
KEL 90°/75	75	97	101	61	40	0,530	18,93
KEL 90°/90	90	115	122	62	60	0,670	22,54
KEL 90°/110	110	140	147	72	76	1,190	30,46
KEL 90°/125	125	151	142	74	68	1,560	46,68
KEL 90°/160	160	196	178	92	86	2,200	92,47
KEL 90°/180	180	219	195	95	100	4,286	116,59
KEL 90°/200	200	245	265	104	161	7,405	287,35
KEL 90°/225	225	274	305	112	193	10,590	354,45
KEL 90°/250	250	305	335	123	212	13,580	460,53

Коліно 45° **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d1, mm	L, mm	L1, mm	z, mm	kg	Ціна в Євро
KEL 45°/32	32	44	44	36	8	0,087	7,61
KEL 45°/40	40	54	50	39	11	0,121	9,20
KEL 45°/50	50	66	56	43	13	0,140	11,54
KEL 45°/63	63	81	63	48	15	0,274	13,16
KEL 45°/75	75	97	79	62	17	0,437	19,75
KEL 45°/90	90	115	91	62	29	0,537	23,32
KEL 45°/110	110	140	112	72	40	0,974	33,85
KEL 45°/125	125	151	107	74	33	1,166	46,68
KEL 45°/160	160	196	134	92	42	1,800	92,47
KEL 45°/180	180	217	142	95	47	3,200	116,59
KEL 45°/200	200	245	215	104	111	7,405	287,33
KEL 45°/225	225	274	235	112	123	10,590	354,45
KEL 45°/250	250	305	263	123	140	13,580	460,53

Трійник рівносторонній **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d1, mm	L, mm	L1, mm	z, mm	z1, mm	H, mm	Ціна в Євро
TEL 20/20	20	35	90	34	11	92	67	8,00
TEL 25/25	25	35	90	34	11	92	70	8,00
TEL 32/32	32	44	102	36	15	100	74	8,00
TEL 40/40	40	54	120	39	21	114	82	9,20
TEL 50/50	50	66	135	43	24	126	90	10,74
TEL 63/63	63	81	152	48	28	150	102	11,99
TEL 75/75	75	97	187	61	33	126	78	18,35
TEL 90/90	90	115	205	62	41	161	94	21,86
TEL 110/110	110	140	255	72	56	184	104	34,44
TEL 125/125	125	151	256	75	53	174	92	44,93
TEL 160/160	160	196	325	92	71	206	103	80,77
TEL 180/180	180	225	344	90	72	250	110	123,18
TEL 200/200	200	245	560	104	176	250	117	288,66
TEL 225/225	225	274	610	112	193	270	122	367,89
TEL 250/250	250	305	667	123	211	288	127	480,01

Відгалуження сідове з накруткою **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d1, mm	H, mm	H1, mm	L, mm	L1, mm	z, mm	Ціна в Євро
OSF 40/20	40	20	99	33	103	70	102	24,63
OSF 40/25	40	25	99	33	103	70	102	24,63
OSF 40/32	40	32	99	33	103	70	120	24,63
OSF 50/20	50	20	104	38	103	70	102	26,93
OSF 50/25	50	25	104	38	103	70	102	26,93
OSF 50/32	50	32	104	38	103	70	120	26,93
OSF 63/20	63	20	134	44	126	70	115	☎
OSF 63/25	63	25	134	44	126	70	115	☎
OSF 63/32	63	32	134	44	126	70	130	☎

Відгалуження сідове **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d1, mm	H, mm	L, mm	L1, mm	B, mm	Ціна в Євро
OSL 110/90	110	90	10□	220	82	164	95,61
OSL 110/110	110	110	107	220	88	164	99,88
OSL 125/90	125	90	101	220	82	179	116,77
OSL 125/110	125	110	107	220	88	179	121,04
OSL 160/90	160	90	102	240	82	215	130,59
OSL 160/110	160	110	108	240	88	215	135,02
OSL 160/125	160	125	129	240	99	215	139,43
OSL 180/90	180	90	102	260	82	237	136,23
OSL 180/110	180	110	108	260	88	237	140,67
OSL 180/125	180	125	129	260	99	237	145,10
OSL 200/90	200	90	102	260	82	253	140,52
OSL 200/110	200	110	108	260	88	253	144,90
OSL 200/125	200	125	129	260	99	253	149,14
OSL 225/90	225	90	102	260	82	287	146,54
OSL 225/110	225	110	108	260	88	287	152,28
OSL 225/125	225	125	129	260	99	287	157,31
OSL 250/90	250	90	102	260	82	312	155,79
OSL 250/110	250	110	108	260	88	312	161,13
OSL 250/125	250	125	129	260	99	312	166,45

Відгалуження сідлове **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d1, mm	H, mm	L1, mm	B, mm	d2, mm	kg	Ціна в Євро
OSL 280/90	280	90	102	82	243	65	1,242	234,12
OSL 280/110	280	110	108	88	243	86	1,295	234,12
OSL 280/125	280	125	129	99	243	86	1,530	234,12
OSL 315-355/90	315-355	90	102	82	249	65	1,214	255,41
OSL 315-355/110	315-355	110	108	88	249	86	1,297	255,41
OSL 315-355/125	315-355	125	129	99	249	86	1,530	255,41
OSL 400/90	400	90	102	82	256	65	1,022	255,41
OSL 400/110	400	110	108	88	256	86	1,116	255,41
OSL 400/125	400	125	129	99	256	86	1,369	255,41
OSL 450/90	450	90	102	82	256	65	1,022	255,41
OSL 450/110	450	110	108	88	256	86	1,116	255,41
OSL 450/125	450	125	129	99	256	86	1,369	255,41
OSL 500-630/90	500-630	90	102	82	263	65	1,086	297,82
OSL 500-630/110	500-630	110	108	88	263	86	1,159	297,82
OSL 500-630/125	500-630	125	129	99	263	86	1,388	297,82

Відгалуження сідлове **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)




Code	d, mm	d1, mm	h, mm	L1, mm	L, mm	B, mm	kg	Ціна в Євро
OSL 315/160	315	160	212	110	332	282	2,662	630,26
OSL 315/225	315	225	306	127	336	260	4,594	724,71
OSL 355/160	355	160	206	110	322	282	2,662	755,59
OSL 355/225	355	225	319	127	366	249	4,710	868,20
OSL 400/160	400	160	198	110	322	300	2,678	819,17
OSL 400/225	400	225	329	127	366	241	4,700	940,86
OSL 450/160	450	160	194	110	322	300	2,678	880,92
OSL 450/225	450	225	329	127	366	233	4,700	1013,51
OSL 500/160	500	160	186	110	322	310	4,708	944,49
OSL 500/225	500	225	344	127	366	226	4,650	1086,17
OSL 560/160	560	160	183	110	322	310	2,708	1008,06
OSL 560/225	560	225	344	127	366	220	4,650	1158,82
OSL 630/160	630	160	177	110	322	312	2,500	1071,64
OSL 630/225	630	225	353	127	366	214	4,630	1231,47
OSL 710/160	710	160	172	110	322	312	2,500	1227,83
OSL 710/225	710	225	352	127	366	208	4,630	1411,29
OSL 800/160	800	160	168	110	322	312	2,500	1416,74
OSL 800/225	800	225	359	127	366	203	4,610	1629,24
OSL 900/225	900	225	359	127	366	199	4,610	1730,96
OSL 1000/225	1000	225	359	127	366	195	4,610	2047,00

Відгалуження сідлове Plus Saddles and Valves **+GF+** PE 100 SDR 11 (ISO S5)




Code	d, mm	d1, mm	L, mm	kg	Ціна в Євро
OSLP 63/63	63	63	165	0,335	13,18
OSLP 75/63	75	63	165	0,465	15,11
OSLP 90/63	90	63	165	0,425	15,19
OSLP 110/63	110	63	165	0,493	18,97
OSLP 125/63	125	63	165	0,523	21,96
OSLP 140/63	140	63	165	0,523	31,01
OSLP 160/63	160	63	165	0,526	37,26
OSLP 180/63	180	63	165	0,632	37,95
OSLP 200/63	200	63	165	0,651	46,78
OSLP 225/63	225	63	165	0,653	50,12
OSLP 250/63	250	63	165	0,665	74,92
OSLP 280/63	280	63	165	0,370	74,92
OSLP 315-355/63	315-355	63	165	0,370	77,34
OSLP 400/63	400	63	165	0,370	77,34

Фрез ELGEF PLUS **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Code	d, mm	d1, mm	d2, mm	z, mm	L, mm	kg	Ціна в Євро
FEP 63/20	63	20	32	130	69	0,384	12,23
FEP 63/25	63	25	32	130	70	0,383	12,23
FEP 63/32	63	32	32	130	76	0,383	12,23
FEP 63/40	63	40	32	137	81	0,401	14,64
FEP 63/63	63	63	32	160	100	1,120	14,64

Заглушка **+GF+** PE 100 SDR 11 (ISO S5, газ 10 бар / вода 16 бар)



Code	d, mm	d1, mm	L, mm	kg	Ціна в Євро
ZEL 20	20	35	52	0,038	5,11
ZEL 25	25	35	52	0,030	5,44
ZEL 32	32	44	52	0,080	6,26
ZEL 40	40	54	56	0,074	6,90
ZEL 50	50	66	60	0,086	10,28
ZEL 63	63	81	66	0,154	11,51
ZEL 75	75	96	110	0,446	18,39
ZEL 90	90	113	125	0,680	24,08
ZEL 110	110	133	145	1,126	30,93
ZEL 125	125	155	158	1,594	37,62
ZEL 140	140	175	170	2,250	47,27
ZEL 160	160	197	180	2,712	53,68
ZEL 180	180	220	194	4,136	66,22
ZEL 200	200	245	208	4,906	85,53
ZEL 225	225	296	224	6,500	103,80
ZEL 250	250	305	173	7,500	☎